



CSE 1530
**Introduction to Computer Use II:
Programming**
Winter 2006 (Section M)
Topic F: External Files and Databases -
Using Classes and Objects
Monday, March 27 2006
Bill Kapralos

CSE 1530, Winter 2006, Bill Kapralos

Overview (1):

- **Before We Begin**
 - Some administrative details
 - Some questions to consider
- **Reading/Displaying the Contents of a File**
 - Overview
 - Opening a file
 - References
 - Adding a reference to a project
 - Working with references

Before We Begin

Administrative Details (1):

- **Exercise 7-6**
 - Due Monday, April 3 2006 before noon
- **Test Annulment Forms**
 - Now available from the Computer Science Engineering Undergrad Office located in CSEB 1003
 - Office hours → 10:00am - 12:00pm & 2:00-4:30pm
 - Must be completed if you wish to drop either of your test grades (Test 1 and/or Test 2)
- **Last Lecture is Monday, April 3**
 - Entire lecture will be review for exam

Some Questions to Consider (1):

- What is the Filter property and how is it used ?
- What is InitDir property and how is it used ?
- What is the Cancel Error property and how is it used ?
- What is the Flags property and how is it used ?

Reading & Displaying the Contents of a File

Overview (1):

- **We Now Know How to Obtain the File Name**
 - In the previous lectures we learned how we can specify a particular file (e.g., obtain the name of the file) using the common file dialog via the ShowOpen method
 - Of course specifying the file is only the beginning!
 - Once the file has been specified and "located" by Visual Basic, we must "open" the file in order to perform any of the required operations → in particular, **read** the contents of a file
 - We will now examine how to read the contents of a file

Opening a File (1):

- **Files Will be Opened Using Two "New" Classes**
 - We will create instances of these classes (e.g., objects), open the file and access its contents using the methods of the class via the objects
 - The two classes are
 - **FileSystemObject**
 - **TextStream**

As An Aside - References (1):

- **Until Now We Know That Objects are an Instance of a Class**
 - We know what a class and what an object is
 - We have worked with various objects
 - Control objects (text boxes, buttons, labels etc.)
 - We created these objects by simply choosing the desired one from the toolbox and placing it on the form → once on the form, any methods and properties of the object are available to us
 - But how do we "jump" from class to object → how are objects created (**instantiated**) ???


As An Aside - References (2):

- **Creating (Instantiating) an Object**
 - Recall
 - A class is nothing more than a **definition** → provides a definition of the properties/methods that are available to any object of that class
 - Cannot use the class definition on its own
 - We must have an object of the particular class
 - Once we create an object of a particular class we set aside space in the computer's memory for that object → space will be set aside to hold the values of all properties etc.

As An Aside - References (3):

▪ **Creating (Instantiating) an Object (cont.)**

- Recall from early on in the course



As An Aside - References (4):


▪ **Creating (Instantiating) an Object (cont.)**

- Once we create (instantiate) an object of some class, memory for the object has been set aside and we can access the object (e.g., **refer** to the object)
 - Of course, we refer to the object by a name that we provide
 - We say that we have a **reference** to the object → the name we provide for the object lets us **reference** the properties and methods of the object

As An Aside - References (5):

Creating (Instantiating) an Object (cont.)

Graphical illustration



As An Aside - References (6):


Creating (Instantiating) an Object (cont.)

- As mentioned, in order to open and read the contents of a file, we will use the `FileSystemObject` and `TextStream` classes
 - This implies that we will have to instantiate an instance of each class → create an object of each class that we can use
 - These two classes are part of another library called the `Scripting` library
 - Just as we had to instruct Visual Basic to include the Common Dialog control, we have to do the same with the `Scripting` library

Adding a Reference to a Project (1):

Incorporating a New Reference

- From the `Projects` menu, choose `References`
 - The following window appears



Adding a Reference to a Project (2):


Incorporating a New Reference (cont.)

- Scroll down the alphabetic list of libraries and choose the `Microsoft Scripting Runtime` library
 - Check the box next to it and then click "Ok"
 - Do not un-check any other references that are already checked!
- Unlike the Common Dialog component, no new control object icon will be added in the toolbox to indicate the addition of the `Scripting` library
 - You can of course obtain confirmation that it has been added through the `Object Browser`

Adding a Reference to a Project (3):

Object Browser and the Scripting Library

- Notice that the `Scripting` library includes the `FileSystemObject` class
 - includes many file related methods & properties



Adding a Reference to a Project (4):

Incorporating a New Reference (cont.)

- Once we have installed the `Scripting` library, essentially what we have done is to make available to our program, a large number of class definitions
 - By default, a Visual Basic project already has references to the collection of classes necessary to create forms and controls
 - But, there are many other class definitions available for a wide variety of "more complex" programs that must be explicitly added such as the file related class definitions we just added
 - We will now focus on creating instances of objects

Working With References (1):

- **Creating a FileSystemObject Object**
 - We want to create an object of this class so that we may be able to access the properties and methods it contains in order to work with our file
 - We will separate the process of creating an object into two steps
 1. Must specify a name for the object (e.g., a reference that will allow us to refer to it)
 2. Assign a "new" object to the reference → think of the object as the actual location in memory where space is set aside for the reference

Working With References (2):

- **Specifying a Name For the Reference**
 - This part is similar to any variable declaration except that the variable type (e.g., Integer, String, Single etc.) is replaced by a class type → familiar to you
 - However, you can think of a class as being a particular type as well
 - To specify an reference in general:
 - Dim referenceName As className
 - More specifically, to generate a FileSystemObject reference (that we will call "myFile")
 - Dim myFile As FileSystemObject

Working With References (3):


- **Assigning a New Object to the Reference**
 - Think of this as setting aside the actual memory space for the reference
 - To assign a new object to a reference
 - Set referenceName = New className
 - More specifically, to assign a FileSystemObject object (that we will call "myFile") to the "myFile" reference variable that we previously declared
 - Set myFile = New FileSystemObject
 - Note the key-words **Set** and **New**
 - Always used when new object is created

Working With References (4):

- **Using the Newly Created Object**
 - We now created an instance of the FileSystemObject class and can therefore access its many methods and properties
 - We must of course understand how to use the object!
 - How can we determine what methods it does contain and furthermore, how can we know how many and what type of arguments (if any) the methods require?
 - The answer lies in the familiar **Object Browser**!

Working With References (5):

- **Using the Newly Created Object (cont.)**
 - From the Object Browser, you can easily determine that the FileSystemObject contains a method called **OpenTextFile**



Working With References (6):

- **Using the Newly Created Object (cont.)**
 - Lets take a closer look at the description for the **OpenTextFile** method


```
Function OpenTextFile(fileName As String, iOmode As IOmode = ForReading, create As Boolean = False, format As Tristate = TristateFalse) As TextStream
Member of Scripting.FileSystemObject
Open a file as a TextStream
```

Working With References (7):

▫ Using the Newly Created Object (cont.)

- The description essentially tells you how to use the method
 - Provides a description of the arguments and their type → knowing how many and the type of each argument, you can call the method as you would call any other method!
 - The first argument is of type `String` and it denotes the name of the file you wish to open (e.g., the name of the file that was obtained using the Open File dialog)