

Chapter 8 :: Subroutines and Control Abstraction

Programming Language Pragmatics

Michael L. Scott

Copyright © 2005 Elsevier



Administrative Notes

- Final Test
 - Thursday, August 3 2006 at 11:30am
 - No lecture before or after the mid-term test
 - You are responsible for material presented in the lectures not necessarily covered in the textbook
 - Similar format (time) to the mid-term test
- Final Test Review Tomorrow
 - We will go over the solutions of test 1
 - I will let you know what sections you are responsible for

Copyright © 2005 Elsevier



Administrative Notes

- Assignment Two
 - Due date: Friday, August 4 2006 at 1:00pm
 - Submit your assignment in the drop-box located at the Computer Science and Engineering undergraduate office
 - Late assignments are subject to a penalty of 10% each day
 - I may choose to mark only a subset of the assigned questions
 - You must "show your work" where appropriate to obtain full marks

Copyright © 2005 Elsevier



Administrative Details

- Test 1
 - Will be returned to you tomorrow (Wednesday)
- Assignment Three
 - Will be placed online one Wednesday

Copyright © 2005 Elsevier



Review

- What is type compatibility ?
- What is type equivalence ?
- What are the two major approaches for type checking ?
- What is coercion ?
- Name two languages where coercion is highly used
- How are records arranged in memory ?
- Describe the issues with records/memory allocation

Copyright © 2005 Elsevier



Review

- What is an array and what is the relationship between arrays/pointers in C ?
- What is an array slice ?
- Does C support array slices ?
- How can the elements of the array be accessed (two methods)
- What are the two layout strategies for array
- What is a String ?
- What are pointers ?
- What is garbage collection ?

Copyright © 2005 Elsevier



Review Of Stack Layout

- Allocation strategies
 - Static
 - Code
 - Globals
 - *Own* variables
 - Explicit constants (including strings, sets, other aggregates)
 - Small scalars may be stored in the instructions themselves

Copyright © 2005 Elsevier



Review Of Stack Layout




Figure 8.1: Example of subroutine nesting, taken from Figure 3.5. Within B, C, and D, all five routines are visible. Within A and E, routines A, B, and E are visible, but C and D are not. Given the calling sequence A, E, B, D, C, in that order, frames will be allocated on the stack as shown at right, with the indicated static and dynamic links.

Copyright © 2005 Elsevier



Review Of Stack Layout

- Allocation strategies (2)
 - Stack
 - parameters
 - local variables
 - temporaries
 - bookkeeping information
 - Heap
 - dynamic allocation

Copyright © 2005 Elsevier



Review Of Stack Layout

- Contents of a stack frame
 - bookkeeping
 - return PC (dynamic link)
 - saved registers
 - line number
 - saved display entries
 - static link
 - arguments and returns
 - local variables
 - temporaries

Copyright © 2005 Elsevier



Calling Sequences

- Maintenance of stack is responsibility of *calling sequence* and *subroutine prolog* and *epilog* – discussed in Chapter 3
 - space is saved by putting as much in the prolog and epilog as possible
 - time *may* be saved by putting stuff in the caller instead, where more information may be known
 - e.g., there may be fewer registers IN USE at the point of call than are used SOMEWHERE in the callee

Copyright © 2005 Elsevier



Calling Sequences

- Common strategy is to divide registers into *caller-saves* and *callee-saves* sets
 - caller uses the "callee-saves" registers first
 - "caller-saves" registers if necessary
- Local variables and arguments are assigned fixed OFFSETS from the stack pointer or frame pointer at compile time
 - some storage layouts use a separate arguments pointer
 - the VAX architecture encouraged this

Copyright © 2005 Elsevier



Calling Sequences




Figure 8.2: A typical stack frame. Though we draw it growing upward on the page, the stack actually grows downward toward lower addresses on most machines. Arguments are accessed at positive offsets from the `fp`. Local variables and temporaries are accessed at negative offsets from the `fp`. Arguments to be passed to called routines are assembled at the top of the frame, using positive offsets from the `rp`.

Copyright © 2005 Elsevier



Calling Sequences (C on MIPS)

- Caller
 - saves into the temporaries and locals area any caller-saves registers whose values will be needed after the call
 - puts up to 4 small arguments into registers \$4-\$7 (a0-a3)
 - it depends on the types of the parameters and the order in which they appear in the argument list
 - puts the rest of the arguments into the arg build area at the top of the stack frame
 - does `jal`, which puts return address into register `ra` and branches
 - note that `jal`, like all branches, has a delay slot

Copyright © 2005 Elsevier



Calling Sequences (C on MIPS)

- In prolog, Callee
 - subtracts framesize from `sp`
 - saves callee-saves registers used anywhere inside callee
 - copies `sp` to `fp`
- In epilog, Callee
 - puts return value into registers (mem if large)
 - copies `fp` into `sp` (see below for rationale)
 - restores saved registers using `sp` as base
 - adds to `sp` to deallocate frame

Copyright © 2005 Elsevier



Calling Sequences (C on MIPS)

- After call, Caller
 - moves return value from register to wherever it's needed (if appropriate)
 - restores caller-saves registers lazily over time, as their values are needed
- All arguments have space in the stack, whether passed in registers or not
- The subroutine just begins with some of the arguments already cached in registers, and 'stale' values in memory

Copyright © 2005 Elsevier



Calling Sequences (C on MIPS)

- This is a normal state of affairs; optimizing compilers keep things in registers whenever possible, flushing to memory only when they run out of registers, or when code may attempt to access the data through a pointer or from an inner scope

Copyright © 2005 Elsevier



Calling Sequences (C on MIPS)

- Many parts of the calling sequence, prologue, and/or epilogue can be omitted in common cases
 - particularly LEAF routines (those that don't call other routines)
 - leaving things out saves time
 - simple leaf routines don't use the stack - don't even use memory – and are exceptionally fast

Copyright © 2005 Elsevier



Parameter Passing

- Parameter passing mechanisms have three basic implementations
 - *value*
 - *value/result* (copying)
 - *reference* (aliasing)
 - *closure/name*
- Many languages (e.g., Pascal) provide value and reference directly

Copyright © 2005 Elsevier



Parameter Passing

- C/C++: functions
 - parameters passed by value (C)
 - parameters passed by reference can be simulated with pointers (C)

```
void proc(int* x, int y) { *x = *x+y }  
...  
proc(&a,b);
```
 - or directly passed by reference (C++)

```
void proc(int& x, int y) { x = x + y  
}  
proc(a,b);
```

Copyright © 2005 Elsevier



Parameter Passing

- Ada goes for semantics: who can do what
 - *In*: callee reads only
 - *Out*: callee writes and can then read (formal not initialized); actual modified
 - *In out*: callee reads and writes; actual modified
- Ada in/out is always implemented as
 - value/result for scalars, and either
 - value/result or reference for structured objects

Copyright © 2005 Elsevier



Parameter Passing

- In a language with a reference model of variables (Lisp, Clu), pass by reference (*sharing*) is the obvious approach
- It's also the only option in Fortran
 - If you pass a constant, the compiler creates a temporary location to hold it
 - If you modify the temporary, who cares?
- Call-by name is an old Algol technique
 - Think of it as call by textual substitution (procedure with all name parameters works like macro) - what you pass are hidden procedures called THUNKS

Copyright © 2005 Elsevier



Parameter Passing

	implementation mechanism	permissible operations	change to actual?	alias?
value	value	read, write	no	no
in, const	value or reference	read only	no	maybe
out (Ada)	value or reference	write only	yes	maybe
value/result	value	read, write	yes	no
var, ref	reference	read, write	yes	yes
sharing	value or reference	read, write	yes	yes
in out (Ada)	value or reference	read, write	yes	maybe
name (Algol 60)	closure (think)	read, write	yes	yes

Figure 8.3: **Parameter passing modes.** Column 1 indicates common names for modes. Column 2 indicates implementation via passing of values, references, or closures. Column 3 indicates whether the callee can read or write the formal parameter. Column 4 indicates whether changes to the formal parameter affect the actual parameter. Column 5 indicates whether changes to the formal or actual parameter, during the execution of the subroutine, may be visible through the other.

Copyright © 2005 Elsevier



Generic Subroutines and Modules

- Generic modules or classes are particularly valuable for creating *containers*: data abstractions that hold a collection of objects
- Generic subroutines (methods) are needed in generic modules (classes), and may also be useful in their own right

Copyright © 2005 Elsevier



Exception Handling

- What is an exception?
 - a hardware-detected run-time error or unusual condition detected by software
- Examples
 - arithmetic overflow
 - end-of-file on input
 - wrong type for input data
 - user-defined conditions, not necessarily errors

Copyright © 2005 Elsevier



Exception Handling

- What is an exception handler?
 - code executed when exception occurs
 - may need a different handler for each type of exception
- Why design in exception handling facilities?
 - allow user to explicitly handle errors in a uniform manner
 - allow user to handle errors without having to check these conditions
 - explicitly in the program everywhere they might occur

Copyright © 2005 Elsevier



Coroutines

- Coroutines are execution contexts that exist concurrently, but that execute one at a time, and that transfer control to each other explicitly, by name
- Coroutines can be used to implement
 - iterators (Section 6.5.3)
 - threads (to be discussed in Chapter 12)
- Because they are concurrent (i.e., simultaneously started but not completed), coroutines cannot share a single stack

Copyright © 2005 Elsevier



Coroutines




Figure 8.5: A cactus stack. Each branch to the side represents the creation of a coroutine (A, B, C, and D). The static nesting of blocks is shown at right. Static links are shown with arrows. Dynamic links are indicated simply by vertical arrangement: each routine has called the one above it.

Copyright © 2005 Elsevier